

ANNEX E

GRAPHICAL PRESENTATION OF POST-CONSTRUCTION WATER QUALITY MONITORING RESULTS




Figure 1a: Levels of Depth-averaged Dissolved Oxygen Saturation (%) at control stations in the southern Hong Kong waters (E1-E3, F1-F4) during mid-ebb tides between 7 November and 2 December 2022




Figure 1b: Levels of Depth-averaged Dissolved Oxygen Saturation (%) at impact stations in the southern Hong Kong waters (IM1-IM9) during mid-ebb tides between 7 November and 2 December 2022

Source: P:\Projects\0505354 CLP Power Hong Kong Limited FSRU Pre-con EM&A.RC\07 Data\12 Post-Construction WQ

Date: 10/01/23

**Environmental
Resources
Management**






Figure 2a: Levels of Depth-averaged Dissolved Oxygen Saturation (%) at control stations in the western Hong Kong waters (E4-E7A, F5-F6) during mid-ebb tides between 7 November and 2 December 2022




Figure 2b: Levels of Depth-averaged Dissolved Oxygen Saturation (%) at impact stations in the western Hong Kong waters (IM10-IM22A) during mid-ebb tides between 7 November and 2 December 2022




Figure 3a: Levels of Surface and Middle Dissolved Oxygen (mg/L) at control stations in the southern Hong Kong waters (E1-E3, F1-F4) during mid-ebb tides between 7 November and 2 December 2022




Figure 3b: Levels of Surface and Middle Dissolved Oxygen (mg/L) at impact stations in the southern Hong Kong waters (IM1-IM9) during mid-ebb tides between 7 November and 2 December 2022




Figure 4a: Levels of Surface and Middle Dissolved Oxygen (mg/L) at control stations in the western Hong Kong waters (E4-E7A, F5-F6) during mid-ebb tides between 7 November and 2 December 2022




Figure 4b: Levels of Surface and Middle Dissolved Oxygen (mg/L) at impact stations in the western Hong Kong waters (IM10-IM22A) during mid-ebb tides between 7 November and 2 December 2022




Figure 5a: Levels of Bottom Dissolved Oxygen (mg/L) at control stations in the southern Hong Kong waters (E1-E3, F1-F4) during mid-ebb tides between 7 November and 2 December 2022




Figure 5b: Levels of Bottom Dissolved Oxygen (mg/L) at impact stations in the southern Hong Kong waters (IM1-IM9) during mid-ebb tides between 7 November and 2 December 2022

Source: P:\Projects\0505354 CLP Power Hong Kong Limited FSRU Pre-con EM&A.RC\07 Data\12 Post-Construction WQ

Date: 10/01/23

**Environmental
Resources
Management**






Figure 6a: Levels of Bottom Dissolved Oxygen (mg/L) at control stations in the western Hong Kong waters (E4-E7A, F5-F6) during mid-ebb tides between 7 November and 2 December 2022




Figure 6b: Levels of Bottom Dissolved Oxygen (mg/L) at impact stations in the western Hong Kong waters (IM10-IM22A) during mid-ebb tides between 7 November and 2 December 2022




Figure 7a: Levels of Depth-averaged Suspended Solids (mg/L) at control stations in the southern Hong Kong waters (E1-E3, F1-F4) during mid-ebb tides between 7 November and 2 December 2022




Figure 7b: Levels of Depth-averaged Suspended Solids (mg/L) at impact stations in the southern Hong Kong waters (IM1-IM9) during mid-ebb tides between 7 November and 2 December 2022




Figure 8a: Levels of Depth-averaged Suspended Solids (mg/L) at control stations in the western Hong Kong waters (E4-E7A, F5-F6) during mid-ebb tides between 7 November and 2 December 2022




Figure 8b: Levels of Depth-averaged Suspended Solids (mg/L) at impact stations in the western Hong Kong waters (IM10-IM22A) during mid-ebb tides between 7 November and 2 December 2022




Figure 9a: Levels of Depth-averaged Turbidity (NTU) at control stations in the southern Hong Kong waters (E1-E3, F1-F4) during mid-ebb tides between 7 November and 2 December 2022




Figure 9b: Levels of Depth-averaged Turbidity (NTU) at impact stations in the southern Hong Kong waters (IM1-IM9) during mid-ebb tides between 7 November and 2 December 2022




Figure 10a: Levels of Depth-averaged Turbidity (NTU) at control stations in the western Hong Kong waters (E4-E7A, F5-F6) during mid-ebb tides between 7 November and 2 December 2022




Figure 10b: Levels of Depth-averaged Turbidity (NTU) at impact stations in the western Hong Kong waters (IM10-IM22A) during mid-ebb tides between 7 November and 2 December 2022




Figure 11a: Levels of Depth-averaged Dissolved Oxygen Saturation (%) at control stations in the southern Hong Kong waters (E1-E3, F1-F4) during mid-flood tides between 7 November and 2 December 2022




Figure 11b: Levels of Depth-averaged Dissolved Oxygen Saturation (%) at impact stations in the southern Hong Kong waters (IM1-IM9) during mid-flood tides between 7 November and 2 December 2022

Source: P:\Projects\0505354 CLP Power Hong Kong Limited FSRU Pre-con EM&A.RC\07 Data\12 Post-Construction WQ

Date: 10/01/23

**Environmental
Resources
Management**






Figure 12a: Levels of Depth-averaged Dissolved Oxygen Saturation (%) at control stations in the western Hong Kong waters (E4-E7A, F5-F6) during mid-flood tides between 7 November and 2 December 2022




Figure 12b: Levels of Depth-averaged Dissolved Oxygen Saturation (%) at impact stations in the western Hong Kong waters (IM10-IM22A) during mid-flood tides between 7 November and 2 December 2022

Source: P:\Projects\0505354 CLP Power Hong Kong Limited FSRU Pre-con EM&A.RC\07 Data\12 Post-Construction WQ

Date: 10/01/23

**Environmental
Resources
Management**






Figure 13a: Levels of Surface and Middle Dissolved Oxygen (mg/L) at control stations in the southern Hong Kong waters (E1-E3, F1-F4) during mid-flood tides between 7 November and 2 December 2022




Figure 13b: Levels of Surface and Middle Dissolved Oxygen (mg/L) at impact stations in the southern Hong Kong waters (IM1-IM9) during mid-flood tides between 7 November and 2 December 2022




Figure 14a: Levels of Surface and Middle Dissolved Oxygen (mg/L) at control stations in the western Hong Kong waters (E4-E7A, F5-F6) during mid-flood tides between 7 November and 2 December 2022




Figure 14b: Levels of Surface and Middle Dissolved Oxygen (mg/L) at impact stations in the western Hong Kong waters (IM10-IM22A) during mid-flood tides between 7 November and 2 December 2022




Figure 15a: Levels of Bottom Dissolved Oxygen (mg/L) at control stations in the southern Hong Kong waters (E1-E3, F1-F4) during mid-flood tides between 7 November and 2 December 2022




Figure 15b: Levels of Bottom Dissolved Oxygen (mg/L) at impact stations in the southern Hong Kong waters (IM1-IM9) during mid-flood tides between 7 November and 2 December 2022

Source: P:\Projects\0505354 CLP Power Hong Kong Limited FSRU Pre-con EM&A.RC\07 Data\12 Post-Construction WQ

Date: 10/01/23

**Environmental
Resources
Management**






Figure 16a: Levels of Bottom Dissolved Oxygen (mg/L) at control stations in the western Hong Kong waters (E4-E7A, F5-F6) during mid-flood tides between 7 November and 2 December 2022




Figure 16b: Levels of Bottom Dissolved Oxygen (mg/L) at impact stations in the western Hong Kong waters (IM10-IM22A) during mid-flood tides between 7 November and 2 December 2022

Source: P:\Projects\0505354 CLP Power Hong Kong Limited FSRU Pre-con EM&A.RC\07 Data\12 Post-Construction WQ

Date: 10/01/23

**Environmental
Resources
Management**






Figure 17a: Levels of Depth-averaged Suspended Solids (mg/L) at control stations in the southern Hong Kong waters (E1-E3, F1-F4) during mid-flood tides between 7 November and 2 December 2022




Figure 17b: Levels of Depth-averaged Suspended Solids (mg/L) at impact stations in the southern Hong Kong waters (IM1-IM9) during mid-flood tides between 7 November and 2 December 2022

Source: P:\Projects\0505354 CLP Power Hong Kong Limited FSRU Pre-con EM&A.RC\07 Data\12 Post-Construction WQ

Date: 10/01/23

**Environmental
Resources
Management**






Figure 18a: Levels of Depth-averaged Suspended Solids (mg/L) at control stations in the western Hong Kong waters (E4-E7A, F5-F6) during mid-flood tides between 7 November and 2 December 2022




Figure 18b: Levels of Depth-averaged Suspended Solids (mg/L) at impact stations in the western Hong Kong waters (IM10-IM22A) during mid-flood tides between 7 November and 2 December 2022




Figure 19a: Levels of Depth-averaged Turbidity (NTU) at control stations in the southern Hong Kong waters (E1-E3, F1-F4) during mid-flood tides between 7 November and 2 December 2022




Figure 19b: Levels of Depth-averaged Turbidity (NTU) at impact stations in the southern Hong Kong waters (IM1-IM9) during mid-flood tides between 7 November and 2 December 2022

Source: P:\Projects\0505354 CLP Power Hong Kong Limited FSRU Pre-con EM&A.RC\07 Data\12 Post-Construction WQ

Date: 10/01/23

**Environmental
Resources
Management**






Figure 20a: Levels of Depth-averaged Turbidity (NTU) at control stations in the western Hong Kong waters (E4-E7A, F5-F6) during mid-flood tides between 7 November and 2 December 2022




Figure 20b: Levels of Depth-averaged Turbidity (NTU) at impact stations in the western Hong Kong waters (IM10-IM22A) during mid-flood tides between 7 November and 2 December 2022